

Fibre drums

(5 litres – 1000 litres)

Economical and remarkably durable offering optimum protection for the chemical, pharmaceutical, adhesives and food industry.

Greif's range of fibre drums fulfill a large number of packaging requirements, in particular for the chemical, pharmaceutical, glue, and food industry. Proven design has been combined with the latest manufacturing technologies to ensure that these drums provide optimum protection for a large variety of hazardous and non-hazardous products.

- Optimal protection is vital for the safe storage and transportation of every product. Years of expertise have proven the extreme durability of Greif's fibre drums, even in demanding conditions.
- To ensure that every drum complies with your specific requirements, a choice of types is available. The fibre drum can be supplied with an inner lining of polyethylene, aluminium/polyethylene or silicone.
- Greif's fibre drums are available in various diameters and sizes with or without UN approval.
- Fibre drums are sturdy yet low in weight. In addition, fibre drums excel in stackability. Benefits that count during transport and storage.
- The materials used by Greif to manufacture fibre drums ensure that they are suitable for recycling.

Fibre drums – countless applications:

A drum for many applications:

- A proven drum for storage and transport of both hazardous and non-hazardous goods.
- Easy to handle and stack.
- Re-sealable and re-usable.
- A large range of diameters and capacities.
- A drum that fits your needs and requirements.



Fibre drums

(5 litres – 1 000 litres)

Standard Greif specifications

Capacity

5 litres up to 1000 litres.

Closure

Fibre drums are closed by means of a galvanised closing ring and sealed by a locking pin. Therefore, the drum can be opened and closed repeatedly.

Construction

- **Body:**
Convolutely wound kraftliner.
- **Lid:**
Plastic, steel, hardboard and plywood lids available.
- **Bottom:**
Laminated fibreboard, hardboard and plywood available.
- **Height:**
According to customer requirements.

UN approval

Drums can be UN certified and marked in various capacities. UN approval: X, Y, Z (Groups I, II and III).

Internal lining

Polyethylene, alu/PE and silicone linings are available.

Exterior paints and decorations

To make your product recognizable, the fibre drum can be provided with a screen print or label.

Content (litres)	Type 2-6	Type 2-B-6	Type 2-B-7	Type 2-C-7
5	X	-	-	-
10	X	-	-	-
20	X	-	-	-
30	X	-	-	-
30	-	X	X	-
40	-	X	X	-
50	-	X	X	-
60	-	X	X	-
75	-	X	X	-
80	-	X	X	-
90	-	X	X	-
100	-	X	X	-
110	-	X	X	-
120	-	X	X	-
130	-	X	X	-
150	-	X	X	-
210	-	-	-	X